

## SAFETY DATA SHEET

---

### SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

---

**1.1 Product identifier**

Motorolja SAE 30

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Motor oil

**1.3 Details of the supplier of the safety data sheet**

Supplier                      Agro Oil  
                                      Box 30192  
                                      104 25 Stockholm, Sweden  
                                      Telephone +46 (0)10-556 00 00  
                                      E-mail info@agrol.se

**1.4 Emergency telephone number**

In emergency situations, contact National Poisons Information Service.

---

### SECTION 2. HAZARD IDENTIFICATION

---

**2.1 Classification of the substance or mixture**

The product does not meet the criteria for classification according to Regulation (EC) No 1272/2008 (CLP).

**2.2 Label elements**

EUH210. Safety data sheet available on request.

**2.3 Other hazards**

Repeated exposure may cause skin dryness.

## SECTION 3. COMPOSITION/INFORMATION OM INGREDIENTS

### 3.2 Mixtures

#### Classification according to Regulation (EC) No 1272/2008 [CLP]

Name	EC no.	CAS no.	REACH reg no.	% (w/w)	Hazard statements
Distillates (petroleum), solvent-dewaxed heavy paraffinic base oil - unspecified*	265-169-7	64742-65-0	01-2119471299-27	≥75	Asp.Tox. 1, H304
Distillates (petroleum), solvent-dewaxed heavy paraffinic*	265-169-7	64742-65-0	01-2119471299-27	5-10	Acute Tox. 4, H302 Acute Tox. 4, H312
Mineral oil*	278-012-2	74869-22-0	01-2119495601-36	1-5	Asp.Tox. 1, H304

\*Contains less than 3% DMSO extract and is therefore not classified as carcinogenic.

#### Other information

For a full text of hazard statements: see Section 16

## SECTION 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

After inhalation: Fresh air and rest. If difficulties in breathing get medical advice.

After eye contact: Rinse the eyes gently with water. If symptoms persist consult a doctor.

After skin contact: Take off contaminated clothing. Wash skin with soap and water.

After ingestion: Rinse mouth and drink water. Do **not** induce vomiting. Contact a doctor if experiencing symptoms.

### 4.2 Most important symptoms and effects, both acute and delayed

Inhalation: In case of overheating, smoke and fumes appear irritating to the upper respiratory tract and lungs.

Eye: May cause mild eye irritation.

Skin: Repeated and prolonged contact may appear dehydrating on the skin and cause redness, skin cracking and eczema (dermatitis).

Ingestion: Small amounts are not expected to produce any acute or delayed symptoms. Large amounts may cause nausea and vomiting.

### 4.3 Indication of any immediate medical attention and special treatment needed

-

---

## SECTION 5. FIREFIGHTING MEASURES

---

### 5.1 Extinguishing media

Suitable extinguishing media: Can be extinguished using dry powder, foam or carbon dioxide.  
Unsuitable extinguishing media: Do not use direct water jet.

### 5.2 Special hazards arising from the substance or mixture

In case of fire, toxic and corrosive gases may develop.

### 5.3 Advice for firefighters

Precautions according to the standard procedure for chemical fires. Use water **only** to cool down containers that are exposed to fire.

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

---

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with eyes and skin.

### 6.2 Environmental precautions

Do not allow discharge to enter sewers, watercourses or the ground.

### 6.3 Methods and material for containment and cleaning up

Contain/absorb spillages with suitable absorbent material such as sand or active clay.

### 6.4 Reference to other sections

See Section 8 for Exposure controls / personal protection and Section 13 for disposal considerations.

---

## SECTION 7. HANDLING AND STORAGE

---

### 7.1 Precautions for safe handling

Avoid prolonged or repeated contact with skin.  
Do not reuse soiled clothing unless laundered.  
Avoid inhalation of vapours, mist or fumes.

### 7.2 Conditions for safe storage, including any incompatibilities

Containers must be kept tightly closed and sealed. Keep out of reach of children.

### 7.3 Specific end use

See Section 1.

## Motorolja SAE 30

---

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

---

#### 8.1 Control parameters

##### Exposure limits according to National regulations

Contains no substances with occupational exposure limits in the workplace. This information refers to Great Britain.<sup>1</sup> For other countries, refer to national legislation.

<sup>1</sup>For Great Britain see: Health and Safety Executive EH40/2005 Workplace exposure limits (third edition, published 2018). Published by the Health and Safety Executive. OELs for oil mist have been omitted from the published 2018 list.

#### 8.2 Exposure controls

##### Appropriate technical measures

Ensure adequate ventilation. Methods are designed to prevent direct contact.

##### Personal protection

Respiratory protection: Usually not needed.

Eye/face protection: Wear eye protection (safety glasses with side shields or full face shield) when risk of splashing.

Skin protection: Wear protective gloves (nitrile or PVC) and protective clothing.

##### Environmental exposure control

Prevent discharges into drains.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

---

#### 9.1 Information on basic physical and chemical properties

Appearance:	Light brown oil
Odour:	No information
Odour treshold:	No information
pH:	No information
Melting point / freezing point:	-27 °C
Initial boiling point and boiling range:	Not available
Flash point:	>220 °C
Evaporation rate:	Not available
Flammability (solid, gas):	Not relevant
Upper / lower flammability or explosive limits:	No information
Vapour pressure:	Not available
Vapour density:	Not available
Density:	891.7 kg/m <sup>3</sup> (15 °C)
Solubility in water:	Insoluble
Solubility in organic solvents	No information
Partition coefficient, n-octanol/water:	Not available
Decomposition temperature:	No information
Auto-ignition temperature:	No information
Viscosity, kinematic:	99 mm <sup>2</sup> /s (40 °C)
Explosive properties:	Not explosive
Oxidising properties:	Not applicable

## Motorolja SAE 30

### 9.2 Other information

None.

---

## SECTION 10. STABILITY AND REACTIVITY

---

### 10.1 Reactivity

The product is not reactive under normal conditions.

### 10.2 Chemical stability

The product is stable under normal conditions.

### 10.3 Possibility of hazardous reactions

None known.

### 10.4 Conditions to avoid

None specific.

### 10.5 Incompatible materials

The product may react with strong oxidizing agents.

### 10.6 Hazardous decomposition products

No hazardous decomposition products known.

---

## SECTION 11. TOXIKOLOGICAL INFORMATION

---

### 11.1 Information on toxicological effects

#### Acute toxicity

Not considered to be acutely toxic.

Distillates (petroleum), solvent-dewaxed heavy paraffinic base oil - unspecified	LD50 Rat (oral): 5000 mg/kg LD50 Rabbit (dermal): 5000 mg/kg LC50 Rat (inhalation) > 5 mg/L/4 h (dust/mist)
Distillates (petroleum), solvent-dewaxed heavy paraffinic	LD50 Rat (oral): 2000 mg/kg LD50 Rat (dermal): 2000 mg/kg
Mineral oil	LD50 Rat (oral): >5000 mg/kg LD50 Rabbit (dermal): >5000 mg/kg LC50 Rat (inhalation) > 5 mg/L/4 h (vapour)

#### Corrosive / irritating on the skin

Repeated and prolonged contact may appear dehydrating on the skin and cause redness, skin cracking and eczema (dermatitis).

#### Serious eye damage / irritation

May cause mild eye irritation.

#### Respiratory / skin sensitization

Not considered sensitizing.

## Motorolja SAE 30

### Germ cell mutagenicity

It is considered not to cause mutations in germ cells.

### Carcinogenicity

**Not considered to be carcinogenic.**

### Toxic to reproduction

Not considered to be toxic to reproduction.

### Specific organ toxicity-single exposure

In case of overheating, smoke and fumes appear irritating to the upper respiratory tract and lungs.

### Specific organ toxicity-repeated exposure

No information available.

### Aspiration Hazard

Not classified as hazardous when inhaled based on the viscosity of the product and content of relevant substances.

---

## SECTION 12. ECOLOGICAL INFORMATION

---

The product is not classified as hazardous to the environment.

### 12.1 Toxicity

Distillates (petroleum),  
solvent-dewaxed heavy  
paraffinic

LC<sub>50</sub> Fish 96h: 74 mg/L  
IC<sub>50</sub> Algae 72h: 3 mg/L

Mineral oil

LC<sub>50</sub> Fish 96 h: 100 mg/L  
EC<sub>50</sub> Daphnia 48h: 1000 mg/L  
IC<sub>50</sub> Algae 72h: 100 mg/L  
NOEC chronic crustacea 21 d: 10 mg/L

### 12.2 Persistence and degradability

The product is not rapidly biodegradable.

Distillates (petroleum), solvent-dewaxed heavy paraffinic: degradability 31% 28 d (OECD TG 301F).

### 12.3 Bioaccumulative potential

Distillates (petroleum),  
solvent-dewaxed heavy  
paraffinic

BCF = 260  
Log Pow = 9,2

High bioaccumulative potential

### 12.4 Mobility in soil

The product is insoluble in water and is not considered to be mobile in soil.

### 12.5 Results of PBT och vPvB assessment

Based on available information, this mixture contains no substance that meets the PBT or vPvB criteria according to Annex XIII to Regulation (EC) No. 1907/2006 (REACH).

### 12.6 Other adverse effects

None known.

---

## SECTION 13. DISPOSAL CONSIDERATIONS

---

### 13.1 Waste treatment methods

#### Product

Product residues, spills etc. are classified as hazardous waste. Disposal, transportation, storage and handling of the waste must be in accordance with national regulations. Product waste must not be allowed to contaminate soil or water, or released into the environment.

Suggested waste code (EWC): 13 02 05: Mineral-based non-chlorinated engine, gear and lubricating oils.

#### Packaging

EWC-code: 15 01 02, Plastic packaging

EWC-code: 15 01 04, Metallic packaging

Packaging containing product residues that are not drip dry must be handled as hazardous waste and disposed of properly sealed.

EWC-code: 15 01 10, Packaging containing residues of or contaminated by hazardous substances.

---

## SECTION 14. TRANSPORT INFORMATION

---

The product is not covered by the regulations for the transport of dangerous goods.

---

## SECTION 15. REGULATORY INFORMATION

---

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety data sheet is prepared in accordance with the EUROPEAN PARLIAMENT AND COUNCIL REGULATION (EC) No 1907/2006 of 18 December 2006 concerning the registration, evaluation, authorization and restriction of chemicals (REACH) and Commission Regulation (EU) No 2015/830 of 28 May 2015 amending the European Parliament and Council Regulation (EC) No 1907/2006 on the registration, evaluation, authorization and restriction of chemicals (REACH).

#### Regulations

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substance and mixtures (CLP).

Commission Regulation (EU) No 1357/2014 of 18 December 2014 replacing Annex III to Directive 2008/98/EC of the European Parliament and of the Council on waste.

### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

---

## SECTION 16. OTHER INFORMATION

---

### Classification procedure

Test data is prioritized when classifying the product. When no test data are available the classification criteria in Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures (CLP) have been used.

### Hazard statements in Section 3

H302 Harmful if swallowed.  
H304 May be fatal if swallowed and enters airways.  
H312 Harmful in contact with skin.

### Abbreviations

BCF Bio Concentration Factor  
BOD5/COD Biological Oxygen Demand 5 days/Chemical Oxygen demand  
BOD (MITI) Biological Oxygen Demand  
DNEL Derived No Effect Level  
EC50 Effective Concentration (concentration that gives response in 50% of test subjects)  
ECHA European Chemical Agency  
EmS Emergency Schedule Information  
IARC International Agency for Research on Cancer  
IC50 Inhibitory Concentration (concentration that shows inhibition in 50% of the test subjects)  
LC50 Lethal Concentration (concentration causing the death of 50% of a group of test animals)  
LD50 Lethal Dose (dose causing the death of 50% of a group of test animals)  
Log Pow Partition coefficient of octanol - water  
MITI Ministry of International Trade and Industry, Japan  
NOEC No Observed Effect Concentration  
NOAEC No Observed Adverse Effect Concentration  
NOAEL No Observed Adverse Effect Level  
OECD Organisation for Economic Co-operation and Development  
PBT Persistent Bio-accumulative and Toxic substance  
PNEC Predicted No Effect Concentration  
STEL Short Term Exposure Limit  
SVHC Substance of Very High Concern  
TWA Time-weighted average  
vPvB very Persistent and very Bioaccumulative

### Advice on education

The user of this product should have training that is relevant to the properties of the product and relevant use.

### References

Information from the supplier: SDS in English, version 2.  
Classification & Labelling Inventory Database, ECHA.  
Registered substances, ECHA.

### Version description

The information has been modified under the following sections in the safety data sheet: 1-16.

The safety data sheet is dated 02.01.2020 and replaces version dated 20.11.2017.