



12.01.2022

## Transmission HTF SAE 30

# SAFETY DATA SHEET

---

### SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

---

#### 1.1 Product identifier

Transmission HTF SAE 30

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Transmission fluid

#### 1.3 Details of the supplier of the safety data sheet

Supplier                      Agro Oil  
                                      Box 30192  
                                      104 25 Stockholm, Sweden  
                                      Telephone +46 (0)10-556 00 00  
                                      E-mail info@agrol.se

#### 1.4 Emergency telephone number

##### Sweden

Swedish Poisons Information Centre      010-456 67 00 (Open 24/7)  
Emergency                                      112 (Ask for the Poison Centre)

##### Finland

Poison Information Centre                  09-471 977 (Open 24/7)  
Emergency                                      112 (Ask for the Poison Centre)

##### Norway

Norwegian Poison Information Centre      22 59 13 00 (Open 24/7)  
Emergency                                      113 (Ask for the Poison Centre)

---

### SECTION 2. HAZARD IDENTIFICATION

---

#### 2.1 Classification of the substance or mixture

The product does not meet the criteria for classification according to Regulation (EC) No 1272/2008 (CLP).

#### 2.2 Label elements

EUH210. Safety data sheet available on request.

#### 2.3 Other hazards

Repeated exposure may cause skin dryness.

## Transmission HTF SAE 30

The mixture contains Phenol, dodecyl-, branched which is identified as having endocrine disrupting properties according to Regulation (EU) 2017/2100 or (EU) 2018/605 in concentrations  $\geq 0.1\%$  (w / w).

### SECTION 3. COMPOSITION/INFORMATION OM INGREDIENTS

#### 3.2 Mixtures

##### Classification according to Regulation (EC) No 1272/2008 [CLP]

Name	EC no.	CAS no.	REACH reg no.	% (w/w)	Hazard statements
Heavily refined mineral oil (C15 - C50)* <sup>1,2</sup>	-	-	-	70-99	-
Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerization, carbonates, calcium salts, overbased, sulfurized, including distillates (petroleum), hydrotreated, solvent-refined, solvent-dewaxed, or catalytic dewaxed, light or heavy paraffinic C15-C50	701-251-5	68784-26-9	01-2119524004-56	1-5	Aquatic Chronic 4, H413
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)	224-235-5	4259-15-8	01-2119493635-27	1-<2	Eye Dam. 1, H318 <sup>3</sup> Aquatic Chronic 2, H411 SCL: C > 2% Eye irrit 2
Phenol, dodecyl-, branched <sup>4,5</sup>	310-154-3	121158-58-5	01-2119513207-49	<0,3	Eye Dam. 1, H318 Repr. 1B, H360F Skin Corr. 1C, H314 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)

\*Contains less than 3% DMSO extract, measured according to IP346, and is therefore not classified as carcinogenic (Note L).

1) Contains one or more of the following EC no.: 265-090-8, 265-091-3, 265-096-0, 265-097-6, 265-098-1, 265-101-6, 265-155-0, 265-156-6, 265-157-1, 265-158-7, 265-159-2, 265-160-8, 265-166-0, 265-169-7, 265-176-5, 276-736-3, 276-737-9, 276-738-4, 278-012-2.

2) Contains one or more of the following REACH reg no.: 01-2119488706-23, 01-2119487067-30, 01-2119487081-40, 01-2119483621-38, 01-2119480374-36, 01-2119488707-21, 01-2119467170-45, 01-2119480375-34, 01-2119484627-25, 01-2119480132-48, 01-2119487077-29, 01-2119489287-22, 01-2119480472-38, 01-2119471299-27, 01-2119485040-48, 01-2119555262-43, 01-2119495601-36, 01-2119474889-13, 01-2119474878-16.

3) SCL (specific concentration limit) according to the supplier.

## Transmission HTF SAE 30

- 4) The constituents containing the substance have been tested and are not toxic to aquatic organisms.
- 5) The substance is listed on the ECHA Candidate list.

### Other information

For a full text of hazard statements: see Section 16

---

## SECTION 4. FIRST AID MEASURES

---

### 4.1 Description of first aid measures

After inhalation: Fresh air and rest. If difficulties in breathing get medical advice.  
After eye contact: Rinse the eyes gently with water. If symptoms persist consult a doctor.  
After skin contact: Take off contaminated clothing. Wash skin with soap and water  
After ingestion: Rinse mouth and drink water. Do **not** induce vomiting. Contact a doctor if experiencing symptoms.

### 4.2 Most important symptoms and effects, both acute and delayed

Inhalation: In case of overheating, smoke and fumes appear irritating to the upper respiratory tract and lungs.  
Eye: May cause mild eye irritation.  
Skin: Repeated and prolonged contact may appear dehydrating on the skin and cause redness, skin cracking and eczema (dermatitis).  
Ingestion: Small amounts are not expected to produce any acute or delayed symptoms. Large amounts may cause nausea and vomiting.

### 4.3 Indication of any immediate medical attention and special treatment needed

-

---

## SECTION 5. FIREFIGHTING MEASURES

---

### 5.1 Extinguishing media

Suitable extinguishing media: Can be extinguished using dry powder, foam or carbon dioxide.  
Unsuitable extinguishing media: Do not use direct water jet.

### 5.2 Special hazards arising from the substance or mixture

In case of fire, toxic and corrosive gases may develop.

### 5.3 Advice for firefighters

Precautions according to the standard procedure for chemical fires. Use water **only** to cool down containers that are exposed to fire.

## Transmission HTF SAE 30

### SECTION 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with eyes and skin.

#### 6.2 Environmental precautions

Do not allow discharge to enter sewers, watercourses or the ground.

#### 6.3 Methods and material for containment and cleaning up

Contain/absorb spillages with suitable absorbent material such as sand or active clay. Disposal of waste must be in accordance with national regulations.

#### 6.4 Reference to other sections

See Section 8 for Exposure controls / personal protection and Section 13 for disposal considerations..

### SECTION 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Avoid prolonged or repeated contact with skin.  
Do not reuse soiled clothing unless laundered.  
Avoid inhalation of vapours, mist or fumes.

#### 7.2 Conditions for safe storage, including any incompatibilities

Containers must be kept tightly closed and sealed. Keep out of reach of children.

#### 7.3 Specific end use

See Section 1.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

##### Exposure limits according to National regulations

##### AFS 2018:1, Sweden

Substance	Cas nr	NGV ppm	NGV mg/m3	KTV ppm	KTV mg/m3	Note	Year
Oil mist, including oil fumes	-		1		3	38, 39	1990

**Note:**

38) When heated, some oils give rise to polycyclic aromatic hydrocarbons, which can be carcinogenic. In addition, mineral oils themselves may contain such substances.

39) For a fog of aqueous cutting fluid or the like, where substances other than oils also can be included, the value is applied as the total content of the anhydrous part. For substances with individual lower exposure limit values, they should be applied.

## Transmission HTF SAE 30

654/2020, Finland

Substance	Cas nr	HTP 8 hours		HTP 15 minutes		Note	Year
		ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>		
Oil mist	-	-	5	-	-	-	1981

### Regulations concerning Action and Limit values, Norway

Name	Cas nr	ppm	mg/m <sup>3</sup>	Note	Last amended
Oil vapour	-		50		
Oil mist (mineral oil particles)	-		1		

## 8.2 Exposure controls

### Appropriate technical measures

Ensure adequate ventilation. Methods are designed to prevent direct contact.

### Personal protection

Respiratory protection: Usually not needed.

Eye/face protection: Wear eye protection (safety glasses with side shields or full face shield) when risk of splashing.

Skin protection: Wear protective gloves (nitrile or PVC) and protective clothing.

### Environmental exposure control

Prevent discharges into drains.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Physical state:	Oil
Colour:	Brown to yellow
Odour:	Petroleum scent
Melting point / freezing point:	Not available
Boiling point or initial boiling point and boiling range:	Not available
Flammability:	The product is not classified as flammable but can ignite and maintain a fire.
Upper / lower flammability or explosive limits:	No information
Flash point:	205 °C, (open cup)
Auto-ignition temperature:	No information
Decomposition temperature:	No information
pH	Not relevant
Kinematic viscosity:	6,6-19,10 mm <sup>2</sup> /s (100 °C)
Solubility:	Insoluble in water
Partition coefficient n-octanol/water:	Not available
Vapour pressure	Not available
Density and/or relative density:	0,8763 - 0,8953 kg/L (15 °C)
Relative vapour density:	Not available

## Transmission HTF SAE 30

Particle characteristics:

Not relevant (liquid)

### 9.2 Other information

9.2.1. Information with regard to physical hazard classes

Not relevant

9.2.2 Other safety characteristics

Not relevant

---

## SECTION 10. STABILITY AND REACTIVITY

---

### 10.1 Reactivity

The product is not reactive under normal conditions.

### 10.2 Chemical stability

The product is stable under normal conditions.

### 10.3 Possibility of hazardous reactions

None known.

### 10.4 Conditions to avoid

None specific.

### 10.5 Incompatible materials

The product may react with strong oxidizing agents.

### 10.6 Hazardous decomposition products

No hazardous decomposition products known.

---

## SECTION 11. TOXIKOLOGICAL INFORMATION

---

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not considered to be acutely toxic.

#### Corrosive / irritating on the skin

Repeated and prolonged contact may appear dehydrating on the skin and cause redness, skin cracking and eczema (dermatitis).

#### Serious eye damage / irritation

May cause mild eye irritation.

#### Respiratory / skin sensitization

Not considered to be sensitizing.

## Transmission HTF SAE 30

### **Germ cell mutagenicity**

Not considered to be cause mutations in germ cells.

### **Carcinogenicity**

Not considered to be carcinogenic.

### **Toxic to reproduction**

Not considered to be toxic to reproduction.

### **Specific organ toxicity-single exposure**

In case of overheating, smoke and fumes appear irritating to the upper respiratory tract and lungs.

### **Specific organ toxicity-repeated exposure**

No information available.

### **Aspiration Hazard**

Not considered to be an aspiration hazard.

## **11.2 Information on other hazards**

### **Endocrine disrupting properties**

The mixture contains Phenol, dodecyl-, branched which is identified as having endocrine disrupting properties according to Regulation (EU) 2017/2100 or (EU) 2018/605 in concentrations  $\geq 0.1\%$  (w / w).

---

## **SECTION 12. ECOLOGICAL INFORMATION**

---

The product is not classified as hazardous to the environment.

### **12.1 Toxicity**

Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) EC<sub>50</sub> Daphnia 48 h: 1,2 mg/L  
(Data from substances with a similar structure.)

### **12.2 Persistence and degradability**

The product is not rapidly biodegradable.

### **12.3 Bioaccumulative potential**

No data available.

### **12.4 Mobility in soil**

The product is insoluble in water and is not considered to be mobile in soil.

### **12.5 Results of PBT och vPvB assessment**

Based on available information, this mixture contains no substance that meets the PBT or vPvB criteria according to Annex XIII to Regulation (EC) No. 1907/2006 (REACH).

### **12.6 Endocrine disrupting properties**

The mixture contains Phenol, dodecyl-, branched which is identified as having endocrine disrupting properties according to Regulation (EU) 2017/2100 or (EU) 2018/605 in concentrations  $\geq 0.1\%$  (w / w).

## Transmission HTF SAE 30

### 12.7 Other adverse effects

None known.

## SECTION 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

#### Product

Product residues, spills etc. are classified as hazardous waste. Disposal, transportation, storage and handling of the waste must be in accordance with national regulations. Product waste must not be allowed to contaminate soil or water, or released into the environment.

Suggested waste code (EWC): 13 02 05\*: Mineral-based non-chlorinated engine, gear and lubricating oils.

#### Packaging

EWC-code: 15 01 02, Plastic packaging

EWC-code: 15 01 04, Metallic packaging

Packaging containing product residues that are not drip dry must be handled as hazardous waste and disposed of properly sealed.

EWC-code: 15 01 10\*, Packaging containing residues of or contaminated by hazardous substances.

## SECTION 14. TRANSPORT INFORMATION

The product is not covered by the regulations for the transport of dangerous goods.

	ADR/RID	ADN	IMDG	IATA /ICAO
14.1 UN-number or ID number	N/A	N/A	N/A	N/A
14.2 UN proper shipping name	N/A	N/A	N/A	N/A
14.3 Transport hazard class	N/A	N/A	N/A	N/A
14.4 Packing group	N/A	N/A	N/A	N/A
14.5 Environmental hazards	N/A	N/A	N/A	N/A

### 14.6 Special precautions for user

Not applicable

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable.





12.01.2022

## Transmission HTF SAE 30

---

### SECTION 15. REGULATORY INFORMATION

---

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety data sheet is prepared in accordance with the EUROPEAN PARLIAMENT AND COUNCIL REGULATION (EC) No 1907/2006 of 18 December 2006 concerning the registration, evaluation, authorization and restriction of chemicals (REACH) and Commission Regulation (EU) No 2020/878 of 18 June 2020 amending the European Parliament and Council Regulation (EC) No 1907/2006 on the registration, evaluation, authorization and restriction of chemicals (REACH).

##### Regulations

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substance and mixtures (CLP).

Commission Regulation (EU) No 1357/2014 of 18 December 2014 replacing Annex III to Directive 2008/98/EC of the European Parliament and of the Council on waste.

##### Sweden

AFS 2011:19, amended by AFS 2018:2 (Chemical risks at work)

AFS 2018:1 (Occupational exposure limits)

KIFS 2017:7 (Chemical products and Biotechnological organisms Regulation)

##### Finland

654/2020 (Occupational exposure limits)

715/2001 (Chemical risks at work)

##### Norway

Regulations concerning the design and layout of workplaces and work premises (the Workplace Regulations)

Regulations concerning action and limit values for physical and chemical agents in the working environment and classified biological agents (Regulations concerning Action and Limit values)

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

---

### SECTION 16. OTHER INFORMATION

---

**Please note!** This safety data sheet is an English translation applicable for Sweden, Norway and Finland. A safety data sheet in local language is also available. Please refer to the Agro Oil webshop for safety data sheets in local languages. <https://webshop.agrol.se/>

## Transmission HTF SAE 30

### Classification procedure

Test data is prioritized when classifying the product. When no test data are available the classification criteria in Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures (CLP) have been used.

### Hazard statements in Section 3

H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H360F	May damage fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

### Abbreviations

ADN	International Carriage of Dangerous Goods by Inland Waterways
ADR	International Carriage of Dangerous Goods by Road
BCF	Bio Concentration Factor
BOD5/COD	Biological Oxygen Demand 5 days/Chemical Oxygen demand
BOD (MITI)	Biological Oxygen Demand
DNEL	Derived No Effect Level
EC <sub>50</sub>	Effective Concentration (concentration that gives response in 50% of test subjects)
ECHA	European Chemical Agency
EmS	Emergency Schedule Information
HTP	Exposure value, concentrations of impurities in workplace air known to be harmful.
IARC	International Agency for Research on Cancer
IATA/ICAO	IATA Dangerous goods regulation / ICAO Technical Instructions for the Safe Transport of Dangerous Goods by Air
IC <sub>50</sub>	Inhibitory Concentration (concentration that shows inhibition in 50% of the test subjects)
IMDG	International Maritime Dangerous Goods Code
KTV	Short term exposure values, normally 15 minutes
LC <sub>50</sub>	Lethal Concentration (concentration causing the death of 50% of a group of test animals)
LD <sub>50</sub>	Lethal Dose (dose causing the death of 50% of a group of test animals)
Log Pow	Partition coefficient of octanol - water
MITI	Ministry of International Trade and Industry, Japan
NGV	Long term exposure value, normally 8 hours.
NOEC	No Observed Effect Concentration
NOAEC	No Observed Adverse Effect Concentration
NOAEL	No Observed Adverse Effect Level
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent Bio-accumulative and Toxic substance
PNEC	Predicted No Effect Concentration
RID	International Carriage of Dangerous Goods by Rail
STEL	Short Term Exposure Limit
SVHC	Substance of Very High Concern
TWA	Time-weighted average
vPvB	very Persistent and very Bioaccumulative

### Advice on education

The user of this product should have training that is relevant to the properties of the product and relevant use.



12.01.2022

## Transmission HTF SAE 30

### References

Information from the supplier: SDS in Swedish, revision no 2.  
Classification & Labelling Inventory Database, ECHA.  
Registered substances, ECHA.

### Version description

The information has been modified under the following sections in the safety data sheet: 3, 16

The safety data sheet is dated 12.01.2022 and replaces the version dated 13.12.2021.